

Altro QuickLay System

minimises downtime and saves you dollars.

Open for business

The Altro QuickLay System can be installed while you operate business as usual. Function without compromise.





“We needed to upgrade the flooring at our catering facilities at Melbourne Airport to provide the safest workplaces possible. But we also had to keep any downtime to the absolute minimum. The ‘Altro QuickLay System’ is designed for busy facilities like ours. It was the solution we were looking for, and very successfully kept us open for business.”

Tony Aiello
Operations Manager - Retail,
Delaware North



“I’ve been in the hospitality industry for 25 years and I’m always coming across kitchen facilities with unsafe floors. This puts their staff at unnecessary risk, and is bad for business. One of the main reasons operators don’t improve their floors is because they don’t want lengthy downtime which costs money. I recommend they look at ‘The Altro QuickLay System’. It keeps them open for business, and ensures their employees have a safe place to work.”

David Hohepa
Marketing Manager,
The HOT Group.

Introducing the **Altro QuickLay System**, installed while you operate, business as usual.

The Altro QuickLay System is designed to overcome the problems sometimes encountered in laying sheet flooring over new or old subfloors.

The system uses a fully synthetic underlay that can be laid over a variety of stable surfaces, such as old vinyl tiles, sheet metal, access floors, subfloors contaminated with oil or paint, or damp subfloors.

Components of the Altro QuickLay System

Underlay: Altro Everlay A or Altro Everlay B

Accessories: Altro Joining Strip C8 or Altro Cap Seal C7,


Altro Cove Former

Adhesives: Altro Trowel Easy

Flooring: Altro Flooring - Safety, Smooth or Nuvola Rubber

Waterproofing: Extra protection using an approved membrane may be required

Management: Altro's technical expertise and warranties



Woolworths Supermarket, Nowra

Main Advantages of the Altro QuickLay System

- It provides a continuous base which is stabilised and resistant to damp.
- It reduces laying time as it can eliminate normal subfloor drying times.
- It reduces preparation requirements of the subfloor.
- It allows for a new temporary floor to be laid over an existing floor, without adhesive damage on uplifting.
- It provides comfort underfoot.
- It improves sound insulation.
- It is all tied together by Altro's renowned expertise.

There are two types of Altro Everlay underlay available,


Altro Everlay A and Altro Everlay B which has an added sound absorbent, insulating layer.

Altro Everlay A

A specially coated fibreglass sheet underlay with peduncles that grip the subfloor surface designed to enable the loose laying of Altro Safety flooring, Altro Nuvola rubber flooring and Altro Smooth Ethos.

Altro Everlay B

A specially coated fibreglass sheet underlay with peduncles that grip the subfloor surface incorporating a layer of resilient material, which gives the added benefit of increased insulation and sound absorption. When used in conjunction with Altro sheet material, it will meet the requirements of BS 5821 impact sound absorption 17dB.



Please contact Altro Technical Services for further advice on the Altro QuickLay System and information sheets on **Installation . . . Typical Applications . . . Technical Data** (or download from website www.dontslipup.com)



ALTRO APAC Pty Ltd
Sales Enquiries Tel: 1800 673 441
Technical Services Tel: 1800 300 120
Email: melb@asf.com.au